



Test Report

Number: SHAH00810427

Applicant: DANTOY
SJAELLANDSVEJ 4 9500 HOBRO DENMARK
Attn: LINDA EG ABILDTRUP

Date: 11 May, 2017

Sample Description:

(6) groups of submitted sample said to be :

Item Name	:	Motorcykel; ATV-All terrain Vehicle; DT 1Racer;
Item No.	:	3321,3320; 3360; 3350;
Labelled Age Group	:	2+/3+
Packaging Provided By Applicant	:	Yes.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Conclusion :

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample on style 3321, 3360	EN71-1: 2014 for Mechanical And Physical Properties	Pass
Submitted Sample on style 3350	EN71-1: 2014 for Mechanical And Physical Properties	Pass
Submitted Sample on style 3321, 3360	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Submitted Sample on style 3350	EN71-2: 2011+A1: 2014 Flammability Test	Pass
Tested components of submitted sample	EN 71-3:2013+A1:2014 for migration of certain elements	Pass

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Leo Shi
General Manager



Tests Conducted

1 Mechanical and Physical Test on style 3321, 3360

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For Ages 2 Years And Up.

The submitted samples were undergone the following abuse tests:		
Test	Clause	Parameter
Torque Test	8.3	0.34 Nm
Tension Test	8.4.2.1	90 N
Protective Components	8.4.2.3	60 N
Drop Test	8.5	850 mm x 5times
Impact Test	8.7	1 kg
Compression Test	8.8	110 N

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	P
4.2	Assembly	NA
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding Parts	P
4.10	Parts Moving Against Each Other	NA
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	P
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	NA
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA
5	Toys intended for Children under 36 Months	
5.1	General Requirements	P
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA

Tests Conducted

Clause	Testing Items	Assessment
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA
6	Packaging	NA
7	Warnings, Markings and Instructions for Use	
7.1	General	P
7.2	Toys Not Intended for Children under 36 Months	NA
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	P
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	NA
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were presented on the packaging.

Date Sample Received: Apr.20, 2017 & Apr.26, 2017 & May 9, 2017

Testing Period: Apr 20, 2017 to May 10, 2017

To be continued

Tests Conducted

2 Mechanical and Physical Test on style 3350

As Per European Standard on Safety of Toys EN71-1: 2014.

Applicant's Specified Age Group for Testing: For Ages 3 Years And Up.

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material Cleanliness	P
4.2	Assembly	NA
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding Parts	P
4.10	Parts Moving Against Each Other	NA
4.11	Mouth Actuated Toys and Other Toys Intended to be Put in the Mouth	NA
4.12	Balloons	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	NA
4.15	Toys Intended to Bear the Mass of a Child	P
4.16	Heavy Immobile Toys	NA
4.17	Projectiles	NA
4.18	Aquatic Toys and Inflatable Toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and Toys Using Percussion Caps	NA
4.20	Acoustics	NA
4.21	Toys Containing Non-Electrical Heat Source	NA
4.22	Small Balls	NA
4.23	Magnets	NA
4.24	Yo-yo Balls	NA
4.25	Toys Attached to Food	NA
5	Toys intended for Children under 36 Months	
5.1	General Requirements	NA
5.2	Soft-filled Toys and Soft-filled Parts of a Toy	NA
5.3	Plastic Sheeting	NA
5.4	Cords, Chains and Electrical Cables in Toys	NA
5.5	Liquid-Filled Toys	NA
5.6	Speed Limitation of Electrically-driven Ride-on Toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of Certain Toys	NA
5.9	Toys Comprising Monofilament Fibres	NA
5.10	Small Balls	NA
5.11	Play Figures	NA
5.12	Hemispheric-shaped Toys	NA
5.13	Suction Cups	NA
5.14	Straps Intended to be Worn Fully or Partially Around the Neck	NA
6	Packaging	NA

Tests Conducted

Clause	Testing Items	Assessment
7	Warnings, Markings and Instructions for Use	
7.1	General	P
7.2	Toys Not Intended for Children under 36 Months	NA
7.3	Latex Balloons	NA
7.4	Aquatic Toys	NA
7.5	Functional Toys	NA
7.6	Hazardous Sharp Functional Edges and Points	NA
7.7	Projectiles	NA
7.8	Imitation Protective Masks and Helmets	NA
7.9	Toy Kites	NA
7.10	Roller skates, Inline skates, Skateboards and Certain other ride-on Toys	P
7.11	Toys Intended to be Attached to Strung Across a Cradle, Cot, or Perambulator	NA
7.12	Liquid-filled Teethers	NA
7.13	Percussion Caps Specifically Designed for Use in Toys	NA
7.14	Acoustics	NA
7.15	Toy Bicycles	NA
7.16	Toys Intended to Bear the Mass of a Child	NA
7.17	Toys Comprising Monofilament Fibres	NA
7.18	Toy Scooters	NA
7.19	Rocking Horses and Similar Toys	NA
7.20	Magnetic/Electrical Experimental Sets	NA
7.21	Toys with Electrical Cables Exceeding 300 mm in Length	NA
7.22	Toys with Cords or Chains Intended for Children of 18 Months and over but under 36 Months	NA

Remark: P = Pass NA = Not Applicable

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- All the above markings were presented on the packaging.

Date Sample Received: Apr 20, 2017 & Apr 26, 2017 & May 09, 2017

Testing Period: Apr 20, 2017 to May 10, 2017

To be continued

Tests Conducted

3 Flammability Test on style 3321, 3360

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Apr.20, 2017 & Apr.26, 2017 & May 9, 2017
Testing Period: Apr 20, 2017 to May 10, 2017

4 Flammability Test on style 3350

As per European Standard on Safety of Toys EN71-2: 2011+A1: 2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from hair, pile or material with similar features, which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Flowing elements of toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass NA = Not Applicable

Date Sample Received: Apr.20, 2017 & Apr.26, 2017 & May 9, 2017
Testing Period: Apr 20, 2017 to May 10, 2017

To be continued

Tests Conducted

5 19 Toxic Elements Migration Test

(A) Test Result

As per EN 71-3: 2013 and amendment A1:2014 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography-Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)							Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)						Limit (mg/kg)
	(8)	(9)	(10)	(11)	(12)	(13)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	52	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	26	25	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	46000

To be continued

Tests Conducted

Element	Result (mg/kg)							Limit (mg/kg)
	(14)	(15)	(16)	(17)	(18)	(19)	(20)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)			Limit (mg/kg)
	(21)	(22)	(23)	
Aluminium (Al)	< 300	< 300	< 300	70000
Antimony (Sb)	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	17
Chromium (III) (Cr III)	< 10	< 10	< 10	460
Chromium (VI) (Cr VI)	< 0.15	< 0.15	< 0.15	0.2
Cobalt (Co)	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	160
Manganese (Mn)	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	180000
Organic tin	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	46000

Remark: mg/kg = Milligram per kilogram

- Organic tin test result was expressed as tributyl tin.
- Unless specified, test results of Chromium (III), Chromium (VI) and Organic tin were derived from migration results of total chromium and tin respectively.

Tested Components: See component list in the last section of this report.

To be continued

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received: May 9, 2017

Testing Period: May 9, 2017 To May 9, 2017

To be continued

Tests Conducted



To be continued

Tests Conducted



To be continued



Test Report

Number: SHAH00810427

Tests Conducted

Components List:

- (1) White plastic.(body)
- (2) Pink plastic.(body)
- (3) Transparent plastic.(on body)
- (4) Gray plastic.(grip & on handle bar & wheel)
- (5) Black soft plastic.(tyre)
- (6) Cream color plastic.(connect bolt)
- (7) Black plastic.(trunk & body)
- (8) Black plastic.(grip)
- (9) Black plastic.(connect)
- (10) White adhesive plastic film with underlying coatings.(sticker)
- (11) Transparent adhesive plastic film with underlying coatings.(sticker)
- (12) White adhesive paper with multi-color printings.(sticker)
- (13) Green plastic.(body)
- (14) Green plastic.(fender)
- (15) Black plastic.(wheel & connect bolt)
- (16) White plastic.(wheel cover)
- (17) Black plastic.(wheel cover)
- (18) Red plastic.(body)
- (19) Blue plastic.(body)
- (20) Yellow plastic.(on body)
- (21) Yellow plastic.(connect bolt)
- (22) Blue plastic.(pusher of trammer)
- (23) Red plastic.(on trammer)

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.